# NSWC REPEAT WINDOWS WINXR OVERVIEW BRIEF 2003

Kevin Ryan
LMTO

# REPEAT MMX (REPEAT WINDOWS)

- REPEAT WinXR
  - REPLACE XR AND COMXR
  - SUPPORT COMM PORTS FOUND BY OPERATING SYSTEM
  - USER FRIENDLY
  - SUPPORTS SEVERAL SERIAL LINES
  - NO LONGER ANY SYNCHRONOUS MODE

# WINXR OPENING



# WINXR FILE TAB



# WINXR REPLAY OPEN FILE



# WINXR REPLAY CONFIGURE

RepeatWinXR - REPLAY (Replay/Inactive): C:\WORK\SGfile\03JWID\03 TDF\23 JUNE FEED\6FEED\6CSALL2E.TDF

File View Session Tools Window Help

**Configuration for 6CSALL2a.TDF**

Port
Com Port: COM3 (COM1, COM3)
Encoding: ASCII
Parity: NONE
Stop Bits: 1
Word Size: 8

File
Direction: REPLAY
Mode: AGAP

Display Mode
(•) Ascii
( ) Baudo
( ) Binary
( ) None

TDF Times
File StartTime: 24/15:15:00.0
First Character StartTime: 24/15:15:00.0
File StopTime: 24/21:43:00.5

OK Cancel

**Configuration for 6CSALL2a.TDF**

Port
Com Port: COM3
Baud Rate: 9600
Encoding: ASCII
Parity: NONE
Stop Bits: 1
Word Size: 8

File
Direction: REPLAY
Mode: AGAP (AGAP, CGAP, DUMP, ORIG)

Display Mode
(•) Ascii
( ) Baudo
( ) Binary
( ) None

TDF Times
24/15:15:00.0
First Character StartTime: 24/15:15:00.0
File StopTime: 24/21:43:00.5

OK Cancel

Configuration for 6CSALL2E.TDF

# WINXR EXECUTION



# WINXR SET TIME

RepeatWinXR - REPLAY (Replay/Inactive): C:\WORK\SGfile\03JWID\03 TDF\23 JUNE FEED\6FEED\6CSALL2a.TDF

File View Session Tools Window Help

REPLAY (Replay/Inactive): C:\WORK\SGfile\03JWID\03 TDF\23 JUNE FEED\6FEED\6CSALL2a.TDF

Repeat System Time

Repeat Time

07/12:13:09

OK

Cancel

Clock Time

Byte 0 | COM3 | CGAP | REPLAY | 9600/N/1/8

Configuration for 6CSALL2a.TDF

# WINXR REPLAY VIEW

RepeatWinXR - REPLAY (Replay/Active/Paused): C:\WORK\SGfile\03JWID\03 TDF\23 JUNE FEED\6FEED\6CSAL...

File View Session Tools Window Help

REPLAY (Replay/Active/Paused): C:\WORK\SGfile\03JWID\03 TDF\23 JUNE FEED\6FEED\6CSALL2a.TDF

```
O 241515Z JUN 03
FM JWID 03
TO CAMP SMITH GCCS
BT
UNCLAS
MSGID/GND ENEMY 2/JUNIT/0001/JUN/JWID 03
JUNIT/T1046/A CO 1ST BN 530 LT INF RGT/INF/BN/ARM/INF/SD/24
///RPT000001046/3
JPOS/241505Z7/JUN/415420.93S8/1472933.7E6/OTH/180T/1NM/1NM/000T/0K
JUNIT/T1044/94TH ROCKET ARTY BDE/RCKTARTY/BDE/ARM/RCKTAR/SD/24
///RPT000001044/3
JPOS/241505Z7/JUN/334948.6S7/1434323.27E9/OTH/180T/1NM/2NM/000T/0K
JUNIT/T1043/92ND MOTOR RIFLE RGT/MRFLTRP/RGT/ARM/MRFLTR/SD/24
///RPT000001043/3
JPOS/241505Z7/JUN/281541.83S2/1520222.86E8/OTH/180T/2NM/2NM/000T/0K
JUNIT/T1042/88TH ARMOR RGT/ARMOR/RGT/ARM/ARMOR/SD/24///RPT000001042/3
JPOS/241505Z7/JUN/363843.96S2/1435410.45E7/OTH/180T/2NM/2NM/000T/0K
JUNIT/T1041/82ND ARMOR RGT/ARMOR/RGT/ARM/ARMOR/SD/24///RPT000001041/3
JPOS/241505Z7/JUN/275747.58S5/1515154.71E0/OTH/180T/2NM/1NM/000T/0K
```

Byte: 7230 (0.3 %) | COM3 | CGAP | REPLAY | 9600/N/1/8

Repeat System Time

# WINXR FILE TAB



# WINXR VIEW TAB

RepeatWinXR - REPLAY (Replay/Inactive): C:\WORK\SGfile\03JWID\03 TDF\23 JUNE FEED\6FEED\6CSALL2a.TDF

File View Session Tools Window Help

✔ Toolbar
✔ Status Bar

REPLAY (Replay/Inactive): C:\WORK\SGfile\03JWID\03 TDF\23 JUNE FEED\6FEED\6CSALL2a.TDF

```
POS/241505Z7/JUN/3835S9/14504E4/OTH/180T/1NM/2NM/000T/OK
CTC/T2002/ADDER-ANACONDA//SS/SUB/S218/SD////04//3////RPT000002002
POS/241505Z7/JUN/2732S4/15335E7/OTH/180T/1NM/2NM/000T/OK
ENDAT/DECL OADR
BT
IIIIIIINNNN
ZNR UUUUU
O 241515Z JUN 03
FM JWID 03
TO CAMP SMITH GCCS
BT
UNCLAS
MSGID/NAV FRIEND 2X/GOLD/0001/JUN/JWID 03
CTC/T4089/LEANDER-WAKA//FFH/NAV/F113/NZ////09//3////RPT000004089
POS/241505Z7/JUN/3931S6/14403E2/OTH/180T/2NM/1NM/000T/OK
CTC/T4088/PERRY-VICTORIA//FFG/NAV/F82/SP////09//3////RPT000004088
POS/241505Z7/JUN/4252S3/15013E0/OTH/180T/2NM/2NM/000T/OK
CTC/T4087/PERRY-VANDERGRIFT//FFG/NAV/48/US////09//3////RPT000004087
POS/241505Z7/JUN/4133S1/14959E8/OT
```

Byte: 20966 (0.7 %) | COM3 | CGAP | REPLAY | 9600/N/1/8

Repeat System Time | 07/12:26:48.9

# WINXR SESSION TAB

RepeatWinXR - REPLAY (Replay/Inactive): C:\WORK\SGfile\03JWID\03 TDF\23 JUNE FEED\6FEED\6CSALL2a.TDF

File View Session Tools Window Help

Start Com
Stop Com
Pause/Resume Com
Reset
Start Com All
Stop Com All

REPL \WORK\SGfile\03JWID\03 TDF\23 JUNE FEED\6FEED\6CSALL2a.TDF

```
PO                4504E4/OTH/180T/1NM/2NM/000T/0K
CT                A//SS/SUB/S218/SD////04//3////RPT000002002
PO                5335E7/OTH/180T/1NM/2NM/000T/0K
ENDAT/DECL OADR
BT
NNNN
ZNR UUUUU
O 241515Z JUN 03
FM JWID 03
TO CAMP SMITH GCCS
BT
UNCLAS
MSGID/NAV FRIEND 2X/GOLD/0001/JUN/JWID 03
CTC/T4089/LEANDER-WAKA//FFH/NAV/F113/NZ////09//3////RPT000004089
POS/241505Z7/JUN/3931S6/14403E2/OTH/180T/2NM/1NM/000T/0K
CTC/T4088/PERRY-VICTORIA//FFG/NAV/F82/SP////09//3////RPT000004088
POS/241505Z7/JUN/4252S3/15013E0/OTH/180T/2NM/2NM/000T/0K
CTC/T4087/PERRY-VANDERGRIFT//FFG/NAV/48/US////09//3////RPT000004087
POS/241505Z7/JUN/4133S1/14959E8/OT
```

Byte: 20966 (0.7 %) | COM3 | CGAP | REPLAY | 9600/N/1/8

Repeat System Time | 07/12:29:24.1

# WINXR TOOLS TAB

RepeatWinXR - REPLAY (Replay/Inactive): C:\WORK\SGfile\03JWID\03 TDF\23 JUNE FEED\6FEED\6CSALL2a.TDF

File View Session Tools Window Help

- Configure Com
- Set Time
- Options
- Choose Font
- View TDF
- Com Summary
- Com State
- Win32 Com

REPLAY (Rep ...RK\SGfile\03JWID\03 TDF\23 JUNE FEED\6FEED\6CSALL2a.TDF

```
POS/241505 ...E4/OTH/180T/1NM/2NM/000T/0K
CTC/T2002/ ...S/SUB/S218/SD////04//3////RPT000002002
POS/241505 ...E7/OTH/180T/1NM/2NM/000T/0K
ENDAT/DEC
BT
NNNN
ZNR UUUUU
O 241515Z JUN 03
FM JWID 03
TO CAMP SMITH GCCS
BT
UNCLAS
MSGID/NAV FRIEND 2X/GOLD/0001/JUN/JWID 03
CTC/T4089/LEANDER-WAKA//FFH/NAV/F113/NZ////09//3////RPT000004089
POS/241505Z7/JUN/3931S6/14403E2/OTH/180T/2NM/1NM/000T/0K
CTC/T4088/PERRY-VICTORIA//FFG/NAV/F82/SP////09//3////RPT000004088
POS/241505Z7/JUN/4252S3/15013E0/OTH/180T/2NM/2NM/000T/0K
CTC/T4087/PERRY-VANDERGRIFT//FFG/NAV/48/US////09//3////RPT000004087
POS/241505Z7/JUN/4133S1/14959E8/OT
```

Byte: 20966 (0.7 %) | COM3 | CGAP | REPLAY | 9600/N/1/8

Configuration for 6CSALL2a.TDF | 07/12:35:56.3

# WINXR VIEWTDF SET



# WINXR VIEWTDF LAUNCH

RepeatWinXR - REPLAY (Replay/Active/Paused): C:\WORK\SGfile\03JWID\03 TDF\23 JUNE FEED\6FEED\6CSAL...

File View Session Tools Window Help

REPLAY (Replay/Active/Paused): C:\WORK\SGfile\03JWID\03 TDF\23 JUNE FEED\6FEED\6CSALL2a.TDF

O 241515Z JUN 03
FM JWID 03

6CSALL2a.TDF - REPEAT ViewTDF

File Search View Help

```
24/15:15:00.0  ZNR UUUUU<CR><CR><LF>
24/15:15:00.0  O 241515Z JUN 03<CR><CR><LF>
24/15:15:00.0  FM JWID 03<CR><CR><LF>
24/15:15:00.0  TO CAMP SMITH GCCS<CR><CR><LF>
24/15:15:00.0  BT<CR><CR><LF>
24/15:15:00.0  UNCLAS<CR><CR><LF>
24/15:15:00.0  MSGID/FIX ENEMY 2/JUNIT/0001/JUN/JWID 03<CR><CR><LF>
24/15:15:00.1  JUNIT/T0032/SA 10 103/SAM/BTY/ARM/SAM/SD/24///RPT000000032/3<CR><CR><
24/15:15:00.1  JPOS/241505Z7/JUN/332924.24S9/1434730.17E0/OTH/186.3T/1NM/1NM/000T/0K
24/15:15:00.2  JUNIT/T0032/SA 10 103/SAM/BTY/ARM/SAM/SD/24///RPT000000032/3<CR><CR><
24/15:15:00.3  JPOS/241505Z7/JUN/332837.2S8/1434710.14E5/OTH/291.8T/1NM/1NM/000T/0K<
```

For Help, press F1 CAP

JPOS/241505Z7/JUN/275747.58S5/1515154.71E0/OTH/180T/2NM/1NM/000T/0K

Byte: 7230 (0.3 %) | COM3 | CGAP | REPLAY | 9600/N/1/8

Repeat System Time

# WINXR SERIAL PORT SUMM

RepeatWinXR - REPLAY (Replay/Active/Paused): C:\WORK\SGfile\03JWID\03 TDF\23 JUNE FEED\6FEED\6CSALL2E.TDF

File View Session Tools Window Help

REPLAY (Replay/Active/Paused): C:\WORK\SGfile\03JWID\03 TDF\23...

Communications Summary

| Port | State | Bytes | Mode | Setting | Control | Break | Frame | IO Err | HW .. |
|---|---|---|---|---|---|---|---|---|---|
| COM1 | Replay/Active/P... | 8064 (0.5 %) | DUMP | 9600/N/1/8 | RTS DTR | 0 | 0 | 0 | 0 |
| COM3 | Replay/Active/P... | 14193 (0.5 %) | CGAP | 9600/N/1/8 | RTS DTR ... | 0 | 0 | 0 | 0 |
| COM4 | Inactive | | | 9600/N/1/8 | | | | | |
| COM5 | Inactive | | | 9600/N/1/8 | | | | | |
| COM6 | Inactive | | | 9600/N/1/8 | | | | | |
| COM7 | Inactive | | | 9600/N/1/8 | | | | | |
| COM8 | Inactive | | | 9600/N/1/8 | | | | | |
| COM9 | Inactive | | | 9600/N/1/8 | | | | | |
| COM10 | Inactive | | | 9600/N/1/8 | | | | | |
| COM11 | Inactive | | | 9600/N/1/8 | | | | | |

Byte: 14193 (0.5 %) COM3 CGAP REPLAY 9600/N/1/8

Byte: 8064 (0.5 %) COM1 DUMP REPLAY 9600/N/1/8

Configuration for 6CSALL2E.TDF 07/13:23:23.3 CAP

# WINXR PORT STATUS

RepeatWinXR - REPLAY (Replay/Active/Paused): C:\WORK\SGfile\03JWID\03 TDF\23 JUNE FEED\6FEED\6CSALL2E.TDF

File View Session Tools Window Help

REPLAY (Replay/Active/Paused): C:\WORK\SGfile\03JWID\03 TDF\23...

///RPT000001006/3
JPOS/241505Z7/JUN/413039.75S2/1470252.68E5/OTH/180T/1NM/1NM/000T/0K
JUNIT/T1005/12TH MOTOR RIFLE RGT/MRFLTRP/RGT/ARM/ARMOR/SD/24
///RPT000001005/3
JPOS/241505Z7/JUN/365952.58
ENDAT/DECL OADR
BT
NNNN
ZNR UUUUU
O 241515Z JUN 03
FM JWID 03
TO CAMP SMITH GCCS
BT
UNCLAS
MSGID/GND FRIEND ZX/JUNIT/
JUNIT/T3038/2 BN 194 AR RGT
JPOS/241505Z7/JUN/420726.42
JUNIT/T3037/2 BN 147 GSAB/C
JPOS/241505Z7/JUN/421333.53
JUNIT/T3036/2 BN 135 INF RGT
///RPT000003036/3
JPOS/241505Z7/JUN/422253.59
JUNIT/T3034/1ST SPANISH MA
///RPT000003034/3
JPOS/241505Z7/JUN/433141.19

Byte: 14193 (0.5 %)

REPLAY (Replay/Active/Paused): C:\WORK\SGfile\03JWID\0...

OK
JUNIT/T3060/6 113 CAV
T000003060/3
4.83E5/OTH/180T/2NM/2NM/000
FORCE/GP/ARM/SPFORC/US/22
.3E3/OTH/180T/2NM/1NM/000T/
58/3
6.13E0/OTH/180T/2NM/2NM/000
RM/INF/AS/22///RPT000003057/3
8.39E0/OTH/180T/1NM/2NM/000
03055/3
6.1E8/OTH/180T/1NM/2NM/000T
N/INF/BN/ARM/INF/SW/22
2.52E0/OTH/180T/1NM/1NM/000
CSS/GP/ARM/CSS/US/22
0.18E8/OTH/180T/2NM/1NM/000
048/3
.19E7/OTH/180T/2NM/1NM/000T
047
.95E0/OTH/180T/1NM/1NM/000T

Byte: 8064 (0.5 %) | COM1 | DUMP | REPLAY | 9600/N/1/8

**Comm Port Status: COM1**

Line Status

| | |
|---|---|
| CD | OFF |
| CTS | OFF |
| DSR | OFF |
| DTR | ON |
| RTS | ON |

Settings

| | |
|---|---|
| Baud Rate | 9600 |
| Parity | NONE |
| Stop Bits | 1 |
| Word Size | 8 |
| Encoding | ASCII |

Error Counts

| | |
|---|---|
| Frame Error | 0 |
| Hardware Overrun | 0 |
| Parity Error | 0 |

TDF

| | |
|---|---|
| Byte Count | 8064 (0.5 %) |
| State | Replay/Active/P |
| Mode | DUMP |

OK Cancel Apply

Configuration for 6CSALL2E.TDF | 07/13:27:29.1 | CAP

# WINXR TILE VERTICAL

RepeatWinXR - REPLAY (Replay): C:\DATA\499.TDF

File View Session Tools Window Help

Close
Close All
Cascade
Tile Horizontally
Tile Vertically
Arrange Icons
1 REPLAY (Replay/Active): C:\DATA\492.TDF
✔ 2 REPLAY (Replay): C:\DATA\499.TDF

REPLAY (Replay): C:\D

```
CTC/T7213/VICTOR I-PE
POS/181127Z0/AUG/2701
RMKS/F424 RECLASS AS
RMKS/VISUAL ON PERIS
RMKS/PERISCOPE SINK
RMKS/VISUAL ON PERIS
CTC/T7001/NIMITZ-NIMITZ/433/CVN/NAV/68/US/36398//HIT
POS/181148Z3/AUG/2736N8/14918W3/NTDS/000T//////NMTZ
CTC/T7213/MOD ECHO II-PERMIT/F424/SSN/SUB/594/UR///HIT
POS/181127Z0/AUG/2701N0/14756W3/NTDS/000T/0009NM/0009NM/////NAVE
CTC/T7301/KIROV-FLETCHER/GD-54/CGN/NAV//UR/95009//HIT
POS/18113BZ2/AUG/3200N5/14127W5/NTDS/000T/0008NM/0008NM/225T/33.0K
///NJCN
POS/180950Z3/AUG/3230N8/14039W7//269T/0096NM/0025NM
ENDAT/OADR
NNNN
OTXFM:065
TO:060,060,060,060,060
TDP MSN:5889
TYPE:02
ERR:OKAY
ZNY UUUUU
O 181153Z AUG 00
BT
UNCLAS DUMMY
MSGID/COMCRUDESGRU O/GOLD/0049/AUG/COMCRUDESGRU O
CTC/T7105/TICONDEROGA-ANTIETAM/POST MN-2/CG/NAV/54/US///HIT
POS/18114TZ2/AUG/2818N9/14859W7/LCG/000T/0001NM/0001NM/041T/22.8K
///NATM
DEL/T7531
CTC/T7301/KIROV-FLETCHER/GD-54/CGN/NAV//UR/95009//HIT
POS/18113BZ2/AUG/3200N5/14127W5/NTDS/000T/0008NM/0008NM/225T/33.0K
///NJCN
POS/181135Z9/AUG/3156N5/14119W6/NTDS/000T/0009NM/0009NM/225T/31.9K
CTC/T7205/KNOX-BARBEY/POST HF-694/FF/NAV/1088/US///HIT
POS/181153Z9/AUG/2843N7/14904W8/OWN/000T/0001NM/0001NM/036T/17.0K
///NTBS
CTC/T7213/MOD ECHO II-PERMIT/F424/SSN/SUB/594/UR///HIT
POS/181127Z0/AUG/2701N0/14756W3/NTDS/000T/0009NM/0009NM/////NAVE
CTC/T7532/UNEQUATED-NZ MER16//TKR/MER
POS/180735Z4/AUG/3158N7/13903W6/VISUAL/000T/0015NM/0015NM/230T/10.0K
ENDAT/OADR
NNNN
```

COM3 REPLAY 9600/N/1/8 ORIG

REPLAY (Replay/Active): C:\DATA\492.TDF

```
TYPE:02
ERR:OKAY
ZNY UUUUU
O 180810Z AUG 00
BT
UNCLAS DUMMY
MSGID/COMCRUDESGRU O/GOLD/0003/AUG/COMCRUDESGRU O
CTC/T7259/IOWA-MISSOURI/GD-94/BB/NAV/63/US/59588//HIT
POS/180805Z2/AUG/2850N5/14842W9/LCG/000T/0001NM/0001NM/059T/13.5K
///NBMO
CTC/T7301/KIROV-FLETCHER/GD-66/CGN/NAV//UR/95009//HIT
POS/180755Z6/AUG/3206N1/14141W1/AVIS/000T/0012NM/0012NM/////NJCN
CTC/T7367/UNEQUATED-JASON/GD-15/AR/NAV/8/US///HIT
POS/180746Z6/AUG/2653N6/14212W0//009T/0005NM/0002NM/////NCVU
RAD/180746Z6/AUG/O306B/SPS-10/5640MHZ/PRI9999.999/PRF676.0626//3.8SPR
CTC/T7412/KRESTA I-JAMES R/5540/FFG/NAV//UR/95035//HIT
POS/180744Z4/AUG/3201N6/13951W9//016T/0005NM/0003NM////875MHZ/NNRJ
RAD/180744Z4/AUG/O511Z/SPS-49/875MHZ/PRI9999.999/PRF999.5052//4.7SPR
CTC/T7301/KIROV-FLETCHER/GD-66/CGN/NAV//UR/95009//HIT/3510
POS/180808Z5/AUG/3204N9/14135W4/ATDS/000T/0015NM/0015NM/////NJCN
CTC/T7488/UNEQUATED-NZ MER09///MER//UN
POS/180804Z1/AUG/2923N6/14707W9/NTDS/000T/0009NM/0009NM/000T/0.0K
CTC/T7301/KIROV-FLETCHER/GD-66/CGN/NAV//UR/95009//HIT/3510
POS/180811Z9/AUG/3205N0/14124W2/NTDS/000T/0009NM/0009NM/000T/0.0K
///NJCN
CTC/T7412/KRESTA I-JAMES R/491/FFG/NAV//UR/95035//HIT
POS/180744Z4/AUG/3201N6/13951W9//016T/0005NM/0003NM////875MHZ/NNRJ
RAD/180744Z4/AUG/O511Z/SPS-49/875MHZ/PRI9999.999/PRF999.5052//4.7SPR
CTC/T7205/KNOX-BARBEY/POST HF-694/FF/NAV/1088/US///HIT/3526
POS/180811Z9/AUG/2751N5/15011W8/NTDS/000T/0009NM/0009NM/000T/0.0K
///NTBS
ENDAT/OADR
NNNN
OTXFM:065
TO:060,060,060,060,060
TDP MSN:5777
TYPE:02
ERR:OKAY
ZNY UUUUU
O 180815Z AUG 00
BT
UNCLAS DUMMY
MSGID/COMCRUDESGRU O/GOLD/0004/AUG/COMCRUDESGRU O
CTC/T7510/UNEQ
```

Byte: 2996 (6.6 %) COM1 REPLAY 9600/N/1/8 DUMP

View TDF: C:\DATA\499.TDF 22/11:18:35.7

Office Microsoft

Start Microsoft PowerPoi... RepeatWinXR - ... 11:18 AM

# WINXR PASSIVE TAP

RepeatWinXR - REPLAY (Replay/Active/Paused): C:\WORK\SGfile\03JWID\03 TDF\23 JUNE FEED\6FEED\6CSALL2E.TDF

File View Session Tools Window Help

REPLAY (Replay/Active/Paused): C:\WOR

Comm State

```
///RPT000001006/3
JPOS/241505Z7/JUN/413039.75S2/1470252.
JUNIT/T1005/12TH MOTOR RIFLE RGT/MRF
///RPT000001005/3
JPOS/241505Z7/JUN/365952.56S1/1440424.
ENDAT/DECL OADR
BT
NNNN
ZNR UUUUU
O 241515Z JUN 03
FM JWID 03
TO CAMP SMITH GCCS
BT
UNCLAS
MSGID/GND FRIEND 2X/JUNIT/0002/JUN/J
JUNIT/T3038/2 BN 194 AR RGT/ARMOR/BN
JPOS/241505Z7/JUN/420726.42S7/1454420.
JUNIT/T3037/2 BN 147 GSAB/CMTT/BN/ARI
JPOS/241505Z7/JUN/421333.53S4/1460135.
JUNIT/T3036/2 BN 135 INF RGT/AMBLINF/B
///RPT000003036/3
JPOS/241505Z7/JUN/422253.5S3/1454103.5
JUNIT/T3034/1ST SPANISH MARINE BN/MA
///RPT000003034/3
JPOS/241505Z7/JUN/433141.1S7/1462933.8
```

Byte: 14193 (0.5 %) COM3

REPEATWINXR Application Help

File Edit Bookmark Options Help

Contents Index Back Print << >>

**How to Build a Splitter Cable**

For asynchronous data: A splitter cable should be constructed to allow the user to record both the transmit and receive from the V (6). The following pins need to be at the tap point of the cable (2, 3, 7, 15 and 17). Pin 3 is cabled straight through to one of the splitters, while pin 2 must be crossed over to pin 3 for the other half of the splitter. Additionally, synchronous data is MIL-188 and must be converted to RS-232 prior to input into the REPEAT System. Ensure that the level converter allows pins 2, 3, 7, 15 and 17 to be converted from MIL-188 to RS-232.




SYNCHRONOUS CONNECTOR CABLE FOR USE WITH SXR

PIN 2 IS CONNECTED STRAIGHT THROUGH TO PIN 2 ON ONE SIDE OF THE SPLITTER

REPLAY 9600/N/1/8

Configuration for 6CSALL2E.TDF 07/13:33:02.1 CAP

# WINXR ON-LINE HELP

RepeatWinXR - REPLAY (Replay/Active/Paused): C:\WORK\SGfile\03JWID\03 TDF\23 JUNE FEED\6FEED\6CSALL2E.TDF

File View Session Tools Window Help

REPLAY (Replay/Active/Paused): C:\WOR

Comm State

///RPT000001006/3
JPOS/241505Z7/JUN/413039.75S2/1470252.
JUNIT/T1005/12TH MOTOR RIFLE RGT/MRF
///RPT000001005/3
JPOS/241505Z7/JUN/365952.56S1/1440424.
ENDAT/DECL OADR
BT
NNNN
ZNR UUUUU
O 241515Z JUN 03
FM JWID 03
TO CAMP SMITH GCCS
BT
UNCLAS
MSGID/GND FRIEND 2X/JUNIT/0002/JUN/J
JUNIT/T3038/2 BN 194 AR RGT/ARMOR/BN
JPOS/241505Z7/JUN/420726.42S7/1454420.
JUNIT/T3037/2 BN 147 GSAB/CMTT/BN/AR
JPOS/241505Z7/JUN/421333.53S4/1460135.
JUNIT/T3036/2 BN 135 INF RGT/AMBLINF/B
///RPT000003036/3
JPOS/241505Z7/JUN/422253.5S3/1454103.5
JUNIT/T3034/1ST SPANISH MARINE BN/MA
///RPT000003034/3
JPOS/241505Z7/JUN/433141.1S7/1462933.8

Byte: 14193 (0.5 %) COM3 CGA

Configuration for 6CSALL2E.TDF

REPEATWINXR Application Help

File Edit Bookmark Options Help

Contents Index Back Print << >>

## How to Replay Data

**Steps:**

1. Select the record capability from the tool bar or from under the File Menu

   Toolbar:
   Keys: CNTL+O

2. Select the Tactical Data File (TDF) for the replay session via the File Open Dialog.

3. Configure the Communications Port via the Configuration dialog box. From the appropriate drop down menus, select the appropriate:

   a. COMM port (COM1, COM2, etc.)
   b. Baud Rate
   c. Encoding
   d. Parity
   e. Stop Bits
   f. Word Size
   g. File Direction = RECORD
   h. Mode (REPLAY only)
   i. Display: ASCII, BAUDOT or Binary
   j. Note: Users can view the current configuration

4. SET TIME - Time can be set from the Tools menu or from the border of the record window (right mouse button)

5. START COMM – Recording Session can be commenced from

REPLAY 9600/N/1/8

2.1 CAP